

Brand	Type	S/N	Year	Hours	UC/Tyres	Description
<b>Radlader / Wheel Loaders</b>						
Caterpillar	CAT 980G-II	AXG0093X	2004	18375	90 %	airconditon, RCS, rock- tyres 29.5 R25 90% good, central lubrication system, v-bucket, weighing system, big mudguards
Caterpillar	CAT 980G-II	AXG0093X	2004	20458	50 %	airconditon, RCS, rock- tyres 29.5 R25 50% good, central lubrication system, v-bucket, weighing system, big mudguards
Caterpillar	CAT 980 G	9CM0159X	2000	11500	70 %	Aircondition, RCS, bucket with edge, 5,4 m3, tyres 29.5 R25 70% good
Caterpillar	CAT 972G-II	AXC0079X	2004	13645	30 %	aircondition, tyres: 26.5 R25 30% good, RCS, central lubrication system, bucket with edge
Caterpillar	CAT 966G- II	AWY0143X	2005	11600	80 %	aircondition, RCS, tyres 26.5 R25 80% good, bucket with u-edge
Caterpillar	CAT 950G-II	AYL0076X	2003	10369	70 %	aircondition, RCS, tyres 23.5 R25 70% good, big steering-wheel, bucket with teeth
Caterpillar	CAT 950 F	6YG0099X	1991	6500	30 %	tyres 23.5 R25, 30% good, bucket with teeth, extra lights
Caterpillar	CAT 924 G	WMB0125XX	2007	7300	100 %	aircondition, RCS, tyres 17.5 R25 NEW, 3rd line, quick coupler, central lubrication system, rear view camera, bucket with edge
Komatsu	WA 480-5H	H6043X	2005	8400	60 %	aircondition, ALS, tyres 26.5 R25 60% good, central lubrication system, bucket with teeth
Komatsu	WA 480-5H	H6043X	2005	9700	40 %	aircondition, ALS, tyres 26.5 R25 40% good, central lubrication system. bucket with teeth
Liebherr	L566 2plus2	01645X	2007	10000	60 %	aircondition, tyres: 26.5 R25, ca 60% good, bucket w. teeth
Liebherr	L 564	00871X	2003	12399	60 %	tyres: 23.5-25 60% good, aircondition, central lubrication system, bucket with teeth

Brand	Type	S/N	Year	Hours	UC/Tyres	Description
Volvo	L 180 C	V248X	1996	22500	30 %	aircondition, tyres 26.5 R25 30% good, central lubrication system, bucket with teeth, big mudguards
Volvo	L 120 F	2366X	2008	7214	100 %	aircondition, tyres: 23.5 R25 Michelin XHA NEU, 3rd.line, central lubrication system, quick coupler
Volvo	L 120 E	2024X	2006	7055	30 %	aircondition, BSS, tyres: 23.5 R25 30% good, 3rd line, central lubrication system, bucket with teeth
Volvo	L 60 F	532X	2008	1180	80 %	aircondition, BSS, CDC, 3. + 4.line, quick coupler, bucket w. teeth, central lubrication, tires: 20.5 R25 ca 80% good, big mudguards, orig. CE
Volvo	L 60 F	525X	2008	1650	70 %	aircondition, BSS, CDC, 3. + 4.line, quick coupler, bucket w. teeth, central lubrication, tires: 20.5 R25 ca 70% good, big mudguards, orig. CE
Volvo	L 60 E	288X	2006	4350	55 %	tyres 20.5 R25 60% good, 3rd. line, quick coupler, bucket with edge, forks, big mudguards, orig. CE
Zetelmeyer	ZL 802	66010XX	1994	5800	30 %	tyres: 16/70-24, 30% good, engine Deutz, quick coupler, bucket
<b>Kettenbagger / Hydraulic Excavators</b>						
Fiat Hitachi	EX 255LC	225ML01XX	1999	13350	40 %	mono, aircondition, shoes 800, UC 40% good, hammer lines, crusher lines, grapple lines, quick coupler, bucket
Komatsu	PC 750 LC-7		2004	10100	70 %	mono, aircondition, shoes 810, UC 70% good, hammer lines, grapple lines, crusher lines, quick coupler, protection guard, 1 bucket 5cbm
Komatsu	PC 750 SE		2002	10752	50 %	Mono, shoes 610, UC 50% good, hammer lines, grapple lines, crusher lines, quick coupler Verachttert SW90, 1 bucket 5,25cbm, protection

Brand	Type	S/N	Year	Hours	UC/Tyres	Description
Liebherr	R 984 C Litronic	1805X	2007	9900	70 %	guard Mono, air condition, shoes 600mm, UC 70% good, stick: 3,4m, bucket 8cbm
Liebherr	R 974 Litronic	486-68X	1994	16000	60 %	Mono, aircondition, shoes 600mm, engine ca 2000Bh, UC: ca 60% good, bucket
Liebherr	R 954 HD- Dem	0760x	1995	14000	70 %	Mono, air condition, shoes 600mm, UC 70% good, hammer lines, grapple lines, crusher lines, quick coupler, 1x standard boom, 1x long reach equipment 27m
Liebherr	R 944 B HDS	651.843X	2001	8520	60 %	mono, air condition, shoes 600mm, UC 60% good, bucket 165
Liebherr	R 934 B HDS-Litronic	020123XX	2003	8470	60 %	Mono, shoes 600, 60% good, aircondition, hammer lines, grapple lines, crusher lines, quick coupler MS21, protection guard, UC 60% good, 1 bucket 160
Liebherr	R 934 B HDS-Litronic	020123XX	2003	9290	50 %	Mono, shoes 600, aircondition, hammer lines, grapple lines, crusher lines, quick coupler MS21, protection guard, UC 50% good, 1 bucket 160
Liebherr	R 934 HDS-Litronic	04750X	1998	11900	50 %	adjustable boom hydr., aircondition, shoes 600, UC 50%good, hammer lines, grapple lines, quick coupler, bucket
Liebherr	R 914 HDS- Litronic	0611122X	2003	10400	70 %	mono, aircondition, shoes 600, UC 70% good, hammer lines, grapple lines, crusher lines, quick coupler "BMT", bucket
Volvo	EC 240BLC	1163X	2004	3500	60 %	Mono, shoes 600, aircondition, hammer lines, grapple lines, crusher lines, quick coupler, bucket
<b>Mobilbagger / Excavators - Mobile</b>						
Caterpillar	CAT M315	7ML0034X	1996	11920	40 %	adjustable boom hydr. tyres 10.00-20, 40% good, hammer lines, crusher

Brand	Type	S/N	Year	Hours	UC/Tyres	Description
Liebherr	A 904 Litronic	665812X	2001	8766	40 %	lines, quick coupler Wimmer aircondition, outrigger blade, hammer lines, grapple lines, quick coupler Lehnhoff, tyres: 10.00-20 ca 40% good, bucket
<b>Umschlagbagger / Excavators - Material Handlers</b>						
Atlas	AB2205	225M30128X	2005	5200	50 %	solid rubber tyres 50% good, aircondition, industrial boom, 4 outriggers, cabin elevated 1m., Deutz engine, grapple
Fuchs	MHL 320	320110029X	2002	3950	60 %	industrial boom, aircondition, solid rubber tyres 9.00-20, 60% good, 4 outriggers, hydr. cabin, magnetic equipment
Sennebogen	M825	825034XX	2005	6000	50 %	industrial boom, aircondition, solid rubber tyres 10.00-20, 50% good, 4 outriggers, hydr. cabin, Deutz engine, magnetic equipment, grapple
Sennebogen	M821		2006	3700	80 %	solid rubber tyres 80% good, generator, aircondition, central lubrication system, special material handling equipment for 12,2m reach, 4 outriggers, cabin hydr., grapple
<b>Dumper-Knickgelenk / Articulated Trucks</b>						
Caterpillar	CAT D 400 E	2YR008XX	1998	6437	50 %	aircondition, tyres 29.5 R25 50% good, body heating, big tailgate
Caterpillar	CAT D 350E-II	2XW0033X	2000	9178	43 %	aircondition, body heating, CE and EPA tyres: front: Michelin XADT 40% good, middle: Goodyear GP-4B 70% good, behind: Goodyear GP-4B 20% good,
Volvo	A 30 C	3435	2000	14289	30 %	Tyres: 750/65 R25, 30% good, body heating, sidewall extension, big tailgate
Volvo	A30C 6x6	333X	1999	16900	70 %	aircondition, tyres 750/65 R25 70% good, body heating, small tailgate

Brand	Type	S/N	Year	Hours	UC/Tyres	Description
Volvo	A 25 D	1369X	2005	6149	80 %	aircondition, tyres 23.5 R25 XAD E4T 80% good, body heating, rear view camera,
Volvo	A 25 D	1384X	2005	6218	80 %	aircondition, tyres: 23.5 R25 Michelin XAD 4ET 80% good, body heating, rear view camera
Volvo	A 25 C	1221X	1999	14840	50 %	tires: 23.5 R25 ca 50% good, sidewall extension, small tailgate
<b>Dumper-Starr / Off-Highway Trucks</b>						
Caterpillar	CAT 773 E	BDA0008X	2001	13944	60 %	aircondition, tyres 24.00-R35 60% good, body heating
Caterpillar	CAT 773 B	63WO326X	1990	24961	50 %	tyes 24.00-R35 50% good, body with new hardox
<b>Planierraupen / Bulldozers</b>						
Caterpillar	CAT D6T - NEWJHB003XX		2008		100 %	aircondition, shoes 610 mm, UC 100% good, SU- blade, ripper
Caterpillar	CAT D5M LGP 3CR0209X		2003	4900	60 %	aircondition, shoes 760, UC 60% good, PAT-blade, ripper-valve, fingertipl.
Caterpillar	CAT D4E	72X0053X	1980	12294	30 %	shoes 710mm, UC 30% good, s-tilt- blade, 5-teeth ripper with 2 teeth
Komatsu	D155AX-3	6063X	1998	8700	80 %	aircondition, shoes 610, UC 80% good, ROPS cabin, ripper
Komatsu	D37 EX	137X	2007	620	90 %	delivered 2008, 620Bh, aircondition, PAT-blade, shoes 400mm, UC ca 90% good
<b>Kettenlader / Chain loaders</b>						
Caterpillar	CAT 939	6DS0046X	1997	3125	50 %	shoes 406, UC: 50% good, bucket w. teeth, GIMAC 5-teeth-ripper
<b>Baggerlader / Backhoe loaders</b>						
JCB	4CX	94428X	2004	5869	60 %	tyres: 16.3-24 60% good, allwheel-drive, hammerlines, tele-stick,

Brand	Type	S/N	Year	Hours	UC/Tyres	Description
						bucket, combibucket with forks
<b>Motorgrader / Motorgraders</b>						
O&K	F156A	10700X	1991	13112	30 %	tyres: 17.5 R25, 30% good, all-wheel-drive, frontblade, middleblade, ripper,
<b>Walzen / Rollers</b>						
Bomag	BW213 D-2	10140085081X	1996	9380	50 %	smooth wheel roller
<b>Minibagger / Mini excavators</b>						
<b>Brech- / Siebanlagen / Screening / Crushing Plants</b>						
Nordberg	LT 1213 S	7216X	2003	7540	%	feed hopper 9 m3, cap. 350-400to/h sidewalls hydr. main conveyer belt H12-10 side conveyer H5-5 magnetic separator Type Wagner belt conveyer H5-9 belt conveyer H8-5 weighing system 2-chain w.
<b>LKW / Trucks</b>						
Mercedes Benz	Actros 4141 8X4 NEU		2008		100 %	aircondition, BlueTec, Euro4, middle cabin, with Meiller steel body 17m3
Mercedes Benz	Actros 4141 8x4 NEU		2008		100 %	aircondition, BlueTec, Euro4m small cabin, with Liebherr 9m3 concrete mixer
Mercedes Benz	Actros 4141 8x4 NEU		2008		100 %	aircondition, BlueTec, Euro4, middle cabin, Meiller 3-side-body 17m3
<b>Sonstiges / Zubehör / Miscellaneous / Accessories</b>						

Brand	Type	S/N	Year	Hours	UC/Tyres	Description
Caterpillar	CAT 735 750/65 R25		2005		%	
LOGMAX	LOGMAX 7000 283X		2007		%	
LST	LST GS 501		2009		%	adapted for excavator weight 12 - 24 to, without mounting bracket and hose
LST	LST GS 750		2009		%	adapted for excavator weight 16 - 28 to, without mounting bracket and hose

**Teleskoplader / Teleskopic loaders****Kompaktlader / Skid Steer loaders**

**Alle Preise ab Standort zzgl. gesetzl. MwSt., freibleibend, Zwischenverkauf vorbehalten.**

**Machines offered subject to remaining unsold, prices ex works without tax.**

Es gelten die Allgemeinen Geschäftsbedingungen (AGB) der Bavaria Swiss AG. Diese sind im Internet unter [www.bavariaswiss.com](http://www.bavariaswiss.com) nachzulesen oder werden auf Wunsch zugesandt. Sie werden hiermit vom Käufer / Verkäufer anerkannt und verbindlich akzeptiert.

The General Terms and Conditions (GTC) of Bavaria Swiss AG shall apply. They can be read at our Website [www.bavariaswiss.com](http://www.bavariaswiss.com) or will be sent to you when desired. The buyer / salesman will recognize and accept these GTC.