

Brand	Type	S/N	Year	Hours	UC/Tyres	Description
Radlader / Wheel Loaders						
Caterpillar	CAT 990	7HK0052X	1993	25500	60 %	tires 45/65 R39 L5 ca 60% good, 3rd line, extra working lights, central lubrication, quick coupler, bucket w. edge ca 8.5 m3, 4500mm
Caterpillar	CAT 966 K HL	NGX0036X	2014	12850	50 %	tires 26.5 R25 ca 50% good, aircondition, RCS, 3rd line, central lubrication, extra working lights, high-tipp-bucket 8.0 m3
Caterpillar	CAT 966 H	A6G0512X	2010	15130	50 %	tires 26.5 R25 ca 50% good, aircondition, RCS, Command Steer, extra working lights, bucket with edge ca 4.2 m3
Caterpillar	CAT 962 G-II	AYE0042X	2002	15630	30 %	tires 23.5 R25 ca 30% good, aircondition, RCS, central lubrication, Comman Steer, standard bucket w. teeth ca 3.8 m3
Hitachi	ZW 220-5B	0011X	2013	7100	60 %	tires 23.5 R25 ca 60% good, aircondition, central lubrication, 1-arm-steering, bucket w. edge 2980mm, ca 3.1 m3
Liebherr	L506	1675X	2007	9980	40 %	tires 365/70 R18 ca 40% good, 3rd line, quick coupler, bucket w. edge and teeth ca 0.8 m3
Liebherr	L506	1309X	2005	11960	35 %	tires 365/70 R18 ca 40% good, 3rd line, quick coupler, bucket w. edge and teeth ca 0.8 m3
Volvo	L 220 G	1273X	2013	10370	70 %	tit. 29.5 R25 L3 Bridgestone VJT ca 70% good, A/C, BSS, Axloilcooling, central lubrication, engine preheating, autom. engine shutdown, backdrive camera and -alarm, bucket with teeth
Volvo	L 180 E	724X	2005	19050	40 %	tires 26.5 R25 ca 40% good, aircondition, BSS, CDC, scale Pfreundt WK50-S, central lubrication, extra working lights, bucket w. teeth 4.8 m3 3160mm
Volvo	L 150 H	404X	2014	7800	30 %	tires 26.5 R25 ca 30% good, A/C, BSS, central lubrication, bucket w.

Brand	Type	S/N	Year	Hours	UC/Tyres	Description
Volvo	L 120 H	1472X	2015	4590	80 %	teeth 3000mm tires 23.5 R25 ca 80% good, aircondition, BSS, CDC, central lubrication, 40 km/h, autom. engine shutdown, bucket w. teeth ca 3.7 m3, 3000mmm
Volvo	L 120 G	3115X	2013	9590	35 %	tir. 23.5 R25 L5 ca 40% good, Long Boom, A/C, BSS, 3rd line, central lube, Turbo II, 40 km/h, scale, reversal fan, extra working lights, quick coupler, bucket w. edge 3.3 m3
Volvo	L 110 G	845X	2012	14380	100 %	tires 23.5 R25 NEW, aircondition, BSS, CDC, 3rd line, reversal fan, central lubrication, quick coupler, no bucket
Volvo	L 110 E	118X	2003	17900	35 %	Ber. 23.5 R25 ca 30-40% gut, Klima, BSS, luftgefederter Sitz, Schaufel mit Zähnen ca 3.1 m3
Volvo	L 70 D	1934X	2002	23670	35 %	tir. 20.5 R25 ca 40% good, aircondition, BSS, central lubrication, 3rd line, quick coupler, no bucket
Volvo	L 60 E	212X	2005	11070	60 %	tires 20.5 R25 ca 60% good, aircondition, engine block heater, bucket w, edge 2500mm
Volvo	L 50 D	1399X	2002	12400	65 %	tires 17.5 R25 ca 70% good, aircondition, Turbo II, 3rd + 4th line, separate equipment lock, quick coupler, bucket w. edge 1.4 m3
Volvo	L 30 G	312406X	2016	700	60 %	tires 405/70 R20 ca 60% good, 3rd line, quick coupler, multi purpose bucket 0.9 m3, forks 1000mm
Kettenbagger / Hydraulic Excavators						
Caterpillar	CAT 349 EL	KFX0036X	2012	7800	40 %	shoes 600mm, UC mechanically adjustable ca 30-40% good, aircondition, protection guard, hammer-, grapple-, crusher lines, quick coupler

Brand	Type	S/N	Year	Hours	UC/Tyres	Description
Caterpillar	CAT 345 DL	LKY0030X	2010	11840	50 %	Verachttert CW55, bucket 1450mm shoes 600mm, UC mech. adjustable ca 50% good, aircondition, protection guard, hammer lines, grapple lines, crusher lines, no attachments
Caterpillar	CAT 336 FLN ERAT	0027X	2015	4400	60 %	shoes 600mm, UC ca 60% good, aircondition, hammer lines, grapple lines, crusher lines, quick coupler Verachttert CW45, bucket w. teeth, EPA certified
Caterpillar	CAT 330 DLN	GGE0087X	2008	9580	50 %	shoes 600mm, UC ca 50% good, aircondition, protection guard, central lubrication, hammer lines, grapple lines, crusher lines, quick coupler Verachttert, bucket
Caterpillar	CAT 329 DLN	SCY0024X	2009	11400	40 %	shoes 600mm, UC ca 40% good, aircondition, hammer lines, grapple lines, crusher lines, quick coupler, bucket
Caterpillar	CAT 323 EL	RAP0080X	2014	5360	50 %	shoes 600mm, UC ca 50% good, aircondition, protection guard, hammer lines, grapple lines, crusher lines, extra working lights, quick coupler, bucket w. teeth
Caterpillar	CAT 323 EL	RAP0041X	2012	7800	50 %	shoes 600mm, UC ca 50% good, aircondition, protection guard, hammer lines, grapple lines, crusher lines, extra working lights, quick coupler, no bucket
Caterpillar	CAT 323 DL	BYM0040X	2008	13750	60 %	shoes 600mm, UC ca 60% good, aircondition, protection guard, hammer lines, grapple lines, crusher lines, central lubrication, quick coupler Oil Quick OQ70/55, bucket w. teeth 1200mm
Doosan	DX 300 LC	5010X	2011	11200	50 %	shoes 600mm, UC ca 50% good, aircondition, hammer lines, grapple lines, crusher lines, extra working lights, quick coupler, bucket

Brand	Type	S/N	Year	Hours	UC/Tyres	Description
Hyundai	Robex 480 LC-90005X		2010	4950	50 %	shoes 600mm, UC ca 50% good, aircondition, protection guard, hammer lines, grapple lines, crusher lines, bucket ca 3.0 m3
JCB	JS 160 LC	177655X	2011	4750	50 %	shoes 800mm, UC ca 50% good, adjustable boom, aircondition, hammer lines, grapple lines, crusher lines, no attachments
Liebherr	R 926 LC	3899X	2014	6870	50 %	shoes 600mm, UC ca 50% good, aircondition, hammer lines, grapple lines, crusher lines, central lubrication, extra working lights, quick coupler, bucket
Volvo	EC 480 DL	21011X	2012	16570	70 %	shoes 600mm, UC ca 70% good, aircondition, extra working lights, swimming valve, extra counterweight, new hydr.-pump, new swing bearing, bucket w. teeth 2000mm
Volvo	EC 300 DL	21100X	2014	6680	50 %	shoes 800mm, UC ca 50% good, aircondition, central lubrication, hammer lines, grapple lines, crusher lines, 2-pump steering, extra working lights, quick coupler, bucket
Volvo	EC 240 NLC	323X	2000	11000	50 %	shoes 600mm, UC ca 50% good, hammer lines, grapple lines, crusher lines, quick coupler Lehnhoff, bucket
Volvo	EC 210 CN	12027X	2007	10180	50 %	shoes 700mm, UC ca 50% good, aircondition, hammer lines, grapple lines, crusher lines, no attachments
Volvo	EC 160 BLC	1059X	2005	9040	40 %	shoes 600mm, UC ca 40% good, Mono, blade, A/C, hammer lines, grapple lines, crusher lines, quick coupler bsg, bucket 600, bucket 1400, ditch bucket 2000
Volvo	ECR 145 EL	31047X	2016	1700	70 %	adjustable boom 4700mm, rubber shoes 500mm, UC ca 70% good, A/C, blade, hammer-, grapple-, crusher lines, proportionalsteering, working

Brand	Type	S/N	Year	Hours	UC/Tyres	Description
Volvo	ECR 145 DL	21009X	2013	7800	30 %	lights LED, Extra option: quick coupler S6, bucket 900mm Mono, shoes 700mm, UC ca 30% good, aircondition, hammer lines, grapple lines, crusher lines, quick coupler Verachtert, bucket 1200mm
Mobilbagger / Excavators - Mobile						
Caterpillar	CAT M 318 D	W8P0094X	2008	11200	30 %	tires 10.00-20 ca 30% good, adjustable boom, blade, central lubrication, hammer lines, grapple lines, crusher lines, quick coupler mech. CW30, pivoting bucket 1350mm
Caterpillar	CAT M 318 C	BCZ0026X	2003	7110	40 %	tires 10.00-20 ca 30-40% good, adjustable boom, blade, hammer lines, grapple lines, crusher lines, quick coupler Verachtert, bucket
Caterpillar	CAT M 315	7ML0262X	2001	9110	60 %	tires 10.00-20 ca 60% good, adjustable boom, blade, central lubrication, hammer lines, crusher lines, grapple lines, quick coupler Verachtert, ditch bucket 2000mm
Caterpillar	CAT M 313 D	K3D0075X	2014	3630	90 %	tires 10.00-20 ca 90% good, adjustable boom, blade, central lubrication, hammer lines, grapple lines, crusher lines, quick coupler Verachtert, no bucket, EPA certified
Komatsu	PW 150 ES -6KK3020X		2000	8450	30 %	tires 10.00-20 ca 30% good, Adjustable boom, blade, outriggers, hammer lines, grapple lines, crusher lines, quick coupler, bucket 1200mm
Komatsu	PW 148-8	H5022X	2011	7200	40 %	tires 10.00-20 ca 40% good, Adjustable boom, blade, aircondition, central lubrication, hammer lines, grapple lines, crusher lines, quick coupler Verachtert CW30, no bucket
Liebherr	A 924	1254X	2002	16350	30 %	tires 10.00-20 ca 30% good, adjustable boom, blade, hammer lines, crusher lines, grapple lines, quick coupler bsg, bucket

Brand	Type	S/N	Year	Hours	UC/Tyres	Description
Liebherr	A 309 Litronic	06612X	2013	7580	9 %	tires 9.00-20 ca 40% good, adjustable boom, blade devided, central lubrication, hammer lines, grapple lines, crusher lines, quick coupler Lehnh. Lematic Tilt, bucket 800, ditch bucket 1800mm
Umschlagbagger / Excavators - Material Handlers						
Fuchs	MHL 350	051X	2002	20300	50 %	hydr. cabin, protection guard, outriggers, tires 12.00-20 full rubber ca 50% good, 3-arm woodgrapple
Sennebogen	821M	821.0.79X	2006	10850	50 %	hydr. cabin, aircondition, outriggers, boom 6400mm, tires 10.00-20 ca 50% good, 5-arm-grapple
Dumper-Knickgelenk / Articulated Trucks						
Komatsu	HM400-2	229X	2007	15200	50 %	tires 29.5 R25 ca 50% good, aircondition, body heating, Turbo II, big tailgate
Volvo	A 30 F	1244X	2013	9970	40 %	tires 23.5 R25 ca 40% good, aircondition, body heating, sidewall extension, big tailgate
Volvo	A 30 F	1245X	2013	9960	73 %	tires 23.5 R25 ca 70% good, aircondition, body heating, sidewall extension, big tailgate
Volvo	A 30 C	294X	1998	14100	40 %	tires 23.5 R25 ca 30% good, body heating prepared, sidewall extension, no tailgate
Volvo	A 25 D	1556X	2006	13880	70 %	tires 23.5 R25 ca 70% good, aircondition, body heating, sidewall extension, big tailgate
Volvo	A 20	101X	1987	13200	30 %	Tires 18.00-25 and 20.5-25 ca 30% good, small tailgate, netload ca 18.5 to, capacity ca 11.5 m3

Brand	Type	S/N	Year	Hours	UC/Tyres	Description
Dumper-Starr / Off-Highway Trucks						
Komatsu	HD 465-5	473X	2000	25930	30 %	tires 24.00 R35 ca 20-40% good, aircondition, body heating, central lubrication
Planierraupen / Bulldozers						
Caterpillar	CAT D6N XL	MLW0075X	2012	4500	30 %	shoes 610mm, UC ca 30% good, aircondition, PAT-blade, ripper valve
Komatsu	D61PX-23	3187X	2015	3740	50 %	shoes 860mm, UC ca 50% good, aircondition, PAT-blade, lasersteering Topcon 3D-5, extra working lights, ripper valve
Komatsu	D61PX-15EO	B4718X	2012	9120	60 %	shoes 860mm, UC ca 60% good, aircondition, PAT-blade foldable, central lubrication, prepared for Lasersteering: Trimble Ready, extra working lights, 3-teeth-ripper
Kettenlader / Chain loaders						
Caterpillar	CAT 963 D	LCS0021X	2006	10500	50 %	shoes 550mm, UC ca 50% good, aircondition, ripper valve, bucket with teeth ca 2.3 m3
Baggerlader / Backhoe loaders						
Motorgrader / Motorgraders						
Walzen / Rollers						
Minibagger / Mini excavators						
Kobelco	SK 35 SR-3	PX12-1124X	2005	3850	60 %	Mono, shoes 300, UC ca 60% good, blade, quick coupler Lehnhoff, bucket 300, ditch bucket 1140

Brand	Type	S/N	Year	Hours	UC/Tyres	Description
Volvo	ECR 88 D	21002X	2013	3020	60 %	shoes 450mm, UC ca 60% good, blade, aircondition, hammer lines, grapple lines, crusher lines, quick coupler HS08, no bucket
Brech- / Siebanlagen / Screening / Crushing Plants						
Powerscreen	Traktor 3205M	587XX	2014	3950	%	impact crusher 1.130 x 800mm with 2-Deck screening machine 3.350 x 1.550mm, oversize discharge conveyor, return conveyor, fine grain conv., water smoke screening, swing conveying trough under crusher,
LKW / Trucks						
Sonstiges / Zubehör / Miscellaneous / Accessories						
Atlas Copco	SC 4500 R	DEQ16916X	2016		%	almost unused steelscissor, for carrier machines of 38 - 60 to weight
bsg	Schaufel mit Schneide	3390X	2016		%	bucket with edge for Volvo L150, for quick coupler, 3300mm wide, ca 4.3 m3, produced by bsg
Hyster	H50J	F3A 259XX	1984		%	forklift Hyster H50J, Perkins Diesel engine, lifting height 3.8m, lifting force 2300kg, side shifting device
Lehnhoff	hydr. Tieflöffel	24472X	2009		%	bucket w. edge 1600mm, hydr. adjustable, for quick coupler Lehnhoff MS21, capacity 1400L
Ranger	G60/H2	RAN593X	2009		%	terrain forklift, lifting weight 6 to, lifting height 4m
Reschke	Schaufel mit Schneide		2016		%	bucket with edge for Volvo L180, for quick coupler, 2990mm wide, ca 4.9 m3, produced by Reschke
Rädlinger	Tieflöffel m. Zähnen		2008		%	Rädlinger bucket w. teeth, width 1200mm, fitting to Lehnhoff MS10 quick coupler, volume 1200L

Brand	Type	S/N	Year	Hours	UC/Tyres	Description
Schaufel L150 / L180	Schaufel m. Zähnen für Volvo L150 / L180		2011	1180	%	bucket w. teeth for Volvo L150 / L180, 3000mm, bolt on
Stichweh	KS 400 S	123X	1980		%	drag scraper, year 1972, overhauled in year 2000, Telemeter, 3000 working hours, drag force 10 to, pendulum feeder, ca 3000 working hours
Stichweh	KS 300	569X	1980		%	drag scraper, year 1972, converter overhauled in 2012,
Tieflöffel	mit Zähnen		2008		%	bucket w. teeth, width 1200mm, fitting to Miller quick coupler
Tieflöffel	m. Zähnen u Schneide		2007		%	bucket with teeth and edge, width 800mm, for Lehnhoff quick coupler
Vermeer	SC 252		2000		%	tree stump milling machine
Volvo	Gabeln für Volvo L120		2013		%	forks for quick coupler, fitting for Volvo L120, teeth 1800mm
Vögele	Super 800	0790165X	2013		%	Paver, max width 3.20m, levelling, Deutz engine
Wimmer	Tieflöffel m. Zähnen		2007		%	Wimmer bucket w. teeth, width 800mm, fitting to Wimmer quick coupler
Winkelbauer	Tieflöffel mit Zähnen		2008		%	Winkelbauer bucket with teeth, width 1600mm, fitting on Winkelbauer quick coupler
Wirtgen parts	WR2500SK		2007		%	big package of spare parts for Wirtgen WR2500SK available, parts worth more than €30.000,-, as package very cheap to buy, list of all parts available immediately

Teleskoplader / Teleskopic loaders**Kompaktlader / Skid Steer loaders**

Brand	Type	S/N	Year	Hours	UC/Tyres	Description
-------	------	-----	------	-------	----------	-------------

Alle Preise ab Standort zzgl. gesetzl. MwSt., freibleibend, Zwischenverkauf vorbehalten.

Machines offered subject to remaining unsold, prices ex works without tax.

Es gelten die Allgemeinen Geschäftsbedingungen (AGB) der Bavaria Swiss AG. Diese sind im Internet unter www.bavariaswiss.com nachzulesen oder werden auf Wunsch zugesandt. Sie werden hiermit vom Käufer / Verkäufer anerkannt und verbindlich akzeptiert.

The General Terms and Conditions (GTC) of Bavaria Swiss AG shall apply. They can be read at our Website www.bavariaswiss.com or will be sent to you when desired. The buyer / salesman will recognize and accept these GTC.